Clin. Lab. Haem.
2003, **25**, 415–420

Author Index to Volume 25

Adorno, E.V. *see* Couto, F.D.
Ageberg, M. & Lindmark, A. Characterisation of the biosynthesis and processing of the neutrophil granule membrane protein CD63 in myeloid cells, 297
Akaogi, T. *see* Kuroda, J.
Alexandrakis, M.G., Ganotakis, E.S., Passam, F.H., Sfiridaki, K., Xilouri, I., Perisinakis, K. & Kyriakou, D.S. The clinical and prognostic significance of erythrocyte sedimentation rate (ESR), serum interleukin-6 (IL-6), and acute phase protein levels in multiple myeloma, 41
Allen, C. *see* O'Shaughnessy, D.
Altaner, Ş. *see* Pamuk, G.E.
Alvarez, M.A. *see* Torres Gomez, A.
Anderson, E. *see* Rendell, M.
Andrès, E., Kaltenbach, G., Noel, E., Noblet-Dick, M., Perrin, A.-E., Vogel, T., Schlienger, J.-L., Berthel, M. & Blicklé, J.F. Efficacy of short-term oral cobalamin therapy for the treatment of cobalamin deficiencies related to food-cobalamin malabsorption: A study of 30 patients, 161
Andrès, E., Perrin, A.-E., Maloisel, F., Marcellin, L. & Goichot, B. Primary hepatic anaplastic large cell Ki-1 non-Hodgkin's lymphoma and hereditary hemochromatosis: a fortuitous association?, 185
Aranha, F.J.P. *see* Noronha, J.F.A.
Aslan, D. *see* Uçkan, D.
Athanasiou, M. *see* Koliakos, G.
Aydogdu, I. *see* Serefhanoglu, K.

Backman, S. *see* Swolin, B.
Baglin, T.P. *see* O'Keeffe, D.J.
Baillie, F.J., Morrison, A.E. & Fergus, I. Soluble transferrin receptor: a discriminating assay for iron deficiency, 353
Bain, B.J., Vassiliou, G., Owen, R., Lucas, G., Pottinger, B., Brito-Babapulle, F., Layton, M., Oscier, D., Hamblin, T., Robinson, G. & Thomas, A. British Society for Haematology Slide Session, Annual Scientific Meeting, Harrogate, 2001, 1
Bain, B.J., Winfield, D., Murray, J., Eden, A., Psiachou-Leonard, E., Gilleece, M., Devalia, V., Hatton, C., Eagleton, H. & Rassan, S. Report on Slide Session, British Society for Haematology, 42nd Annual Scientific Meeting, Brighton, 2002, 221
Bain, B.J. Book Review, 69
Bal dit Sollier, C., Caplain, H. & Drouet, L. No alteration in platelet function or coagulation induced by EGb761 in a controlled study, 251
Barak, M. *see* Froom, P.
Barker, H.F. *see* Brummitt, D.R.
Barutçuoğlu, B., Parildar, Z., Mutaf, I., Habf, S. & Bayindir, O. Spuriously elevated inorganic phosphate level in a multiple myeloma patient, 271
Bayindir, O. *see* Barutçuoğlu, B.
Bentley, S. Flow Cytometry in Hematopathology, 199
Bentley, S. WHO Classification of Tumours: Pathology and Genetics. Tumours of Haematopoietic and Lymphoid Tissues, 201
Bertesi, M. *see* Marietta, M.
Berthel, M. *see* Andrès, E.
Bielecka, B. *see* Mendek-Czajkowska, E.
Blanco, F. *see* Torres Gomez, A.
Blicklé, J.F. *see* Andrès, E.
Bonifácio, S.L. *see* Novaretti, M.C.Z.
van den Bos, A., Wissink, W.M., Schattenberg, A.V.M.B., Werre, J.M. & Pauw, B.E. Feasibility of a new *in vitro* approach to evaluate cellular damage following co-infusion of red blood cell concentrates and intravenous drug solutions, 173
Bredin, I. *see* Swolin, B.
Brinch, L. *see* Mishra, V.
Brito-Babapulle, F. *see* Bain, B.J.
Browne, P.V. *see* O'Brien, D.A.
Brummitt, D.R., Barker, H.F. & Pujol-Moix, N. A new platelet parameter, the mean platelet component, can demonstrate abnormal platelet function and structure in myelodysplasia, 59

Çakir, B. *see* Turgut, B.
Campbell, L. *see* McNamara, C.
Caplain, H. *see* Bal dit Sollier, C.
Cappi, C. *see* Marietta, M.
Carter, K. *see* Halksworth, G.
Casaño, J. *see* Torres Gomez, A.
Castelli, I. *see* Marietta, M.
Cavenagh, J.D. *see* Davies, J.K.
Cavill, I. *see* Siebert, S.
Çelik, H. *see* Turgut, B.
Cercek, B. *see* Meisel, S.R.
Çetin, M. *see* Uçkan, D.
Chamone, D.A.F. *see* Novaretti, M.C.Z.

© 2003 Blackwell Publishing Ltd.

Chan, C.H. *see* Mak, Y.K.
Charoenporn, P. *see* Sangkitporn, S.K.
Chaudhary, R. *see* Singh, H.
Chehal, A., Taher, A. & Shamseddine, A. IgM myeloma and Waldenstrom's macroglobulinemia: a distinct clinical feature, histology, immunophenotype, and chromosomal abnormality, 187
Chen, Y.T. *see* Mak, Y.K.
Cho, H.C. *see* Lee, Y.K.
Choudhry, V.P. *see* Tyagi, S.
Chuk, P. *see* O'Brien, D.A.
Coetzer, T.L. *see* Scott, C.S.
Colah, R.B. *see* Kedar, P.S.
Collins, B. *see* Hayden, P.J.
Cotter, M. & Enright, H. A novel t(15;17) translocation in acute myeloid leukaemia not associated with *PML/RARα* rearrangement, 255
Couto, F.D., De Albuquerque, A.B.L., Adorno, E.V., De Moura Neto, J.P., De Freitas Abbehusen, L., De Oliveira, J.L.B., dos Reis, M.G. & De Souza Gonçalves, M. α-Thalassemia 2, 3.7 kb deletion and hemoglobin AC heterozygosity in pregnancy: a molecular and hematological analysis, 29
Cross, S.T. *see* Sabath, D.E.

Dateki, N. *see* Kamihira, S.
Davies, F.E. *see* Levene, A.P.
Davies, J.K., Telfer, P., Cavenagh, J.D., Foot, N. & Neat, M. Autoimmune cytopenias in the 22q11.2 deletion syndrome, 195
De Albuquerque, A.B.L. *see* Couto, F.D.
De Freitas Abbehusen, L. *see* Couto, F.D.
De Moura Neto, J.P. *see* Couto, F.D.
De Oliveira, J.L.B. *see* Couto, F.D.
De Souza Gonçalves, M. *see* Couto, F.D.
De Souza, C.A. *see* Noronha, J.F.A.
Demir, M. *see* Pamuk, G.E.
Demir, M. *see* Turgut, B.
Devalia, V. *see* Bain, B.J.
Dorlhiac-Llacer, P.E. *see* Novaretti, M.C.Z.
Dornan, J.C. *see* McKenna, D.
Drouet, L. *see* Bal dit Sollier, C.
Dunphy, C. Cytometric Analysis of Cell Phenotype and Function, 135

Eagleton, H. *see* Bain, B.J.
Eden, A. *see* Bain, B.J.
Edgington, T.S. *see* Meisel, S.R.
Ellis, R. *see* Siebert, S.
Enright, H. *see* Cotter, M.
Ersoy, Y. *see* Serefhanoglu, K.
Evely, R.S. *see* Lock, R.J.

Fergus, I. *see* Baillie, F.J.
Fernández-Suárez, A., Pascual, V.T., Gimenez, M.T.F. & Hernández, J.F.S. Immature granulocyte detection by the SE-9000 haematology analyser during pregnancy, 347
Fleming, A.F. Ethnic variation in von Willebrand factor levels can influence the diagnosis of von Willebrand disease, 413
Flynn, C.M. *see* O'Brien, D.A.
Foot, N. *see* Davies, J.K.
Froom, P., Grikshtas, R., Havis, R. & Barak, M. Adding a caveat to the urgent clinical notification of anaemia does not reduce inappropriate emergency room referral rates, 149
Fujisawa, S. *see* Nakajima, H.
Fukuda, W. *see* Kuroda, J.

Gandhi, S. *see* Ghosh, K.
Ganotakis, E.S. *see* Alexandrakis, M.G.
Ghosh, K., Madkaikar, M., Jijina, F., Gandhi, S., Shetty, S. & Mohanty, D. Open heart surgery with mitral valve replacement – ordeal of an undiagnosed heamophilia patient, 131
Ghosh, K. *see* Kedar, P.S.
Giangrande, P.L.F. *see* Sukhu, K.
Gilleece, M. *see* Bain, B.J.
Gimenez, M.T.F. *see* Fernández-Suárez, A.
Giordano, P.C. The effect of iron deficiency aneia on the levels of hemoglobin subtypes: possible consequences for clinical diagnosis, 203
Goede, A. *see* Kalk, E.
Goichot, B. *see* Andrès, E.
Gorman, C. *see* O'Brien, D.A.
Górski, T. *see* Mendek-Czajkowska, E.
Grigg, A. *see* McNamara, C.
Grikshtas, R. *see* Froom, P.
Grotto, H.Z.W. *see* Noronha, J.F.A.
Gulley, M.L. Cancer Cytogenetics: Methods and protocol, 275
Gürakan, B. *see* Kayiran, S.M.

Habf, S. *see* Barutçuoğlu, B.
Haggan, S.E. *see* McKenna, D.
Halksworth, G., Moseley, L., Carter, K. & Worwood, M. Iron absorption from Spatone (a natural mineral water) for prevention of iron deficiency in pregnancy, 227
Hamaguchi, Y. *see* Wang, F.-S.
Hamblin, T. *see* Bain, B.J.

Harasawa, H. *see* Kamihira, S.
Harvey, J. *see* O'Shaughnessy, D.
Hatsumi, N. *see* Nakajima, H.
Hatton, C. *see* Bain, B.J.
Havis, R. *see* Froom, P.
Hayashi, H. *see* Kuroda, J.
Hayashi, T. *see* Kamihira, S.
Hayden, P.J., O'Brien, M., Collins, B., O'Farrelly, C. & Murphy, K. Inherited thrombotic tendency in a pedigree with antithrombin La Rochelle (N405K) and factor V Leiden, 191
Heasley, N. *see* Iyer, R.
Hellmann, A. *see* Prejzner, W.
Henley, R. *see* Siebert, S.
Hernández, J.F.S. *see* Fernández-Suárez, A.
Hirai, K. *see* Wang, F.-S.
Hirakata, Y. *see* Kamihira, S.
Ho, E. *see* Scott, C.S.
Honigs, D. *see* Rendell, M.
Hoyt, R. *see* McNamara, C.

Itose, Y. *see* Wang, F.-S.
Iyer, R., McElhinney, B., Heasley, N., Williams, M. & Morris, K. False positive Kleihauer tests and unnecessary administration of anti-D immunoglobulin, 405

Jack, A.S. *see* Richards, S.J.
Jens, E. *see* Novaretti, M.C.Z.
Jijina, F. *see* Ghosh, K.
Johnsson, M. *see* Swolin, B.
Johnston, M.D. *see* Sears, D.A.
Juneja, S. *see* McNamara, C.
Juneja, S.K. *see* Mason, K.D.
Jyoko, N. *see* Kuroda, J.

Kaito, K., Otsubo, H., Ogasawara, Y., Shimada, T., Usui, N. & Kobayashi, M. Adhesion molecule expression by bone marrow CD34-positive cells in aplastic anemia before and after immunosuppressive therapy, 393
Kalk, E., Goede, A. & Rose, P. Acute arterial thrombosis in acute promyelocytic leukaemia, 267
Kaltenbach, G. *see* Andrès, E.
Kamihira, S., Dateki, N., Sugahara, K., Hayashi, T., Harasawa, H., Minami, S., Hirakata, Y. & Yamada, Y. Significance of HTLV-1 proviral load quantification by real-time PCR as a surrogate marker for HTLV-1-infected cell count, 111
Kamitsuji, Y. *see* Kuroda, J.
Kang, H.J. *see* Lee, Y.K.
Kaya, E. *see* Serefhanoglu, K.
Kayiran, S.M., Özbek, N., Turan, M. & Gürakan, B. Significant differences between capillary and venous complete blood counts in the neonatal period, 9
Kedar, P.S., Colah, R.B., Kulkarni, S., Ghosh, K. & Mohanty, D. Experience with eosin-5′-maleimide as a diagnostic tool for red cell membrane cytoskeleton disorders, 373
Keeney, M. *see* Payne, S.
Kimura, S. *see* Kuroda, J.
Kishi, K. *see* Nakajima, H.
Knopińska-Posłuszny, W. *see* Prejzner, W.
Kobayashi, M. *see* Kaito, K.
Kobayashi, Y. *see* Kuroda, J.
Koliakos, G., Papachristou, F., Koussi, A., Perifanis, V., Tsatra, I., Souliou, E. & Athanasiou, M. Urine biochemical markers of early renal dysfunction are associated with iron overload in β-thalassaemia, 105
Koussi, A. *see* Koliakos, G.
Kovacs, M.J. *see* Payne, S.
Kubota, F. Analysis of red cell and platelet morphology using an imaging-combined flow cytometer, 71
Kuku, I. *see* Serefhanoglu, K.
Kulkarni, S. *see* Kedar, P.S.
Kuroda, J., Kimura, S., Kobayashi, Y., Jyoko, N., Kamitsuji, Y., Murotani, Y., Fukuda, W., Akaogi, T., Hayashi, H., Yoshikawa, T. & Maekawa, T. Variable manifestation in natural killer cell leukaemia, 239
Kutlu, K. *see* Turgut, B.
Kyriakou, D.S. *see* Alexandrakis, M.G.

Langowska, B. *see* Prejzner, W.
Lappin, T.R. *see* McKenna, D.
Lau, S.M. *see* Mak, Y.K.
Laudicina, R.J. Hematology Clinical Principles and Applications, 137
Layton, M. *see* Bain, B.J.
Lee, Y.K., Park, J.-Y., Kang, H.J. & Cho, H.C. Overexpression of $p16^{INK4A}$ and $p14^{ARF}$ in haematological malignancies, 233
Levene, A.P., Morgan, G.J. & Davies, F.E. The use of genetic microarray analysis to classify and predict prognosis in haematological malignancies, 209
Lewis, S.M. & Osei-Bimpong, A. Haemoglobinometry in general practice, 343
Lindmark, A. *see* Ageberg, M.
Lock, R.J., Virgo, P.F. & Evely, R.S. Letter to the Editor, 67
Löfqvist, I. *see* Swolin, B.
Lucas, G. *see* Bain, B.J.
Lynch, K. *see* McNamara, C.

McCrum, E. *see* McKenna, D.
McElhinney, B. *see* Iyer, R.
McKenna, D., Spence, D., Haggan, S.E., McCrum, E., Dornan, J.C. & Lappin, T.R. A randomized trial investigating an iron-rich natural mineral water as a prophylaxis against iron deficiency in pregnancy, 99
MacKinnon, K. *see* Payne, S.
McNamara, C., Grigg, A., Szer, J., Roberts, A., Campbell, L., Hoyt, R., Lynch, K. & Juneja, S. Morphological effects of imatinib mesylate (STI571) on the bone marrow and blood of patients with Philadelphia chromosome (Ph) positive chronic myeloid leukaemia, 119
Madkaikar, M. *see* Ghosh, K.
Madrigal, E. *see* Torres Gomez, A.
Maekawa, T. *see* Kuroda, J.
Mahomed, R. *see* Sukhu, K.
Mailliard, J. *see* Rendell, M.
Mak, Y.K., Chan, C.H., Chen, Y.T., Lau, S.M., So, C.C. & Wong, K.F. Consolidation therapy with autologous blood stem cell transplantation in a patient with primary plasma cell leukaemia, 55
Maloisel, F. *see* Andrès, E.
Mamiya, L.Y. *see* Sabath, D.E.
Marcellin, L. *see* Andrès, E.
Marietta, M., Bertesi, M., Simoni, L., Pozzi, S., Castelli, I., Cappi, C. & Torelli, G. A simple and safe nomogram for the management of oral anticoagulation prior to minor surgery, 127
Maryniak, R. *see* Mendek-Czajkowska, E.
Mason, K.D. & Juneja, S.K. Spontaneous rupture of the spleen as the presenting feature of the blastoid variant of mantle cell lymphoma, 263
Matsuo, T., Matuo, M., Wanaka, K. & Sakai, R. Heparin re-exposure after heparin-induced thrombocytopenia in a chronic hemodialysis patient, 333
Matuo, M. *see* Matsuo, T.
Meisel, S.R., Shechter, M., Xu, X.-P., Edgington, T.S., Cercek, B. & Shah, P.K. Platelet-induced expression of tissue factor procoagulant activity in freshly isolated human mononuclear cells: implications for experimental use, 321
Mendek-Czajkowska, E., Slomkowski, M., Zdebska, E., Mokras, U., Sikorska, A., Maryniak, R., Górski, T., Zych-Mordzińska, J. & Bielecka, B. Hemoglobin F in primary myelofibrosis and in myelodysplasia, 289
Mendelow, B.V. *see* Scott, C.S.
Meyersfeld, D. *see* Scott, C.S.
Mikołajczuk, J. *see* Prejzner, W.
Minami, S. *see* Kamihira, S.
Miranda, E.C.M. *see* Noronha, J.F.A.
Mishra, V., Vaaler, S. & Brinch, L. Cost analysis of autologous peripheral blood stem cell transplantation for multiple myeloma, 179
Miyakoshi, S. *see* Nakajima, H.
Miyawaki, S. *see* Nakajima, H.
Mohanty, D. *see* Ghosh, K.
Mohanty, D. *see* Kedar, P.S.
Mokras, U. *see* Mendek-Czajkowska, E.
Morgan, G.J. *see* Levene, A.P.
Mori, S. *see* Nakajima, H.
Morris, K. *see* Iyer, R.
Morrison, A.E. *see* Baillie, F.J.
Morrow, B. *see* Payne, S.
Moseley, L. *see* Halksworth, G.
Murotani, Y. *see* Kuroda, J.
Murphy, K. *see* Hayden, P.J.
Murray, J. *see* Bain, B.J.
Mutaf, I. *see* Barutçuoğlu, B.

Naka, K. *see* Okuda, M.
Nakajima, H., Oki, M., Kishi, K., Ueyama, J.-I., Miyakoshi, S., Hatsumi, N., Sakura, T., Miyawaki, S., Yokota, A., Fujisawa, S., Mori, S., Tanaka, Y. & Sakamaki, H. Nonmyeloablative stem cell transplantation with fludarabine and cyclophosphamide for patients with hematologic malignancies, 383
Neat, M. *see* Davies, J.K.
Noblet-Dick, M. *see* Andrès, E.
Noel, E. *see* Andrès, E.
Noronha, J.F.A., De Souza, C.A., Vigorito, A.C., Aranha, F.J.P., Zulli, R., Miranda, E.C.M. & Grotto, H.Z.W. Immature reticulocytes as an early predictor of engraftment in autologous and allogeneic bone marrow transplantation, 47
Novaretti, M.C.Z., Jens, E., Pagliarini, T., Bonifácio, S.L., Dorlhiac-Llacer, P.E. & Chamone, D.A.F. Comparison of conventional tube test with diamed gel microcolumn assay for anti-D titration, 311

O'Brien, D.A., Flynn, C.M., Chuk, P., Gorman, C. & Wild, B., Browne, P.V. Haemoglobin Etobicoke, an incidental finding in an Irish diabetic, 259
O'Brien, M. *see* Hayden, P.J.
O'Farrelly, C. *see* Hayden, P.J.
O'Keeffe, D.J. & Baglin, T.P. Travellers' thrombosis and economy class syndrome: incidence, aetiology and prevention, 277
O'Shaughnessy, D., Allen, C., Woodcock, T., Pearce, K., Harvey, J. & Shearer, M. Echis time, under-carboxylated prothrombin and vitamin K status in intensive care patients, 397

Ogasawara, Y. *see* Kaito, K.
Oki, M. *see* Nakajima, H.
Okuda, M., Uemura, Y., Naka, K. & Tatsumi, N. Preparation of a purified fibrinogen calibration material for Clauss method and turbidimetric immunoassay possessing biological activity and antigenicity, 167
Okur, H. *see* Uçkan, D.
Oscier, D. *see* Bain, B.J.
Osei-Bimpong, A. *see* Lewis, S.M.
Otsubo, H. *see* Kaito, K.
Owen, R. *see* Bain, B.J.
özbek, N. *see* Kayiran, S.M.
Özyürek, E. *see* Uçkan, D.

Pagliarini, T. *see* Novaretti, M.C.Z.
Pamuk, G.E., Turgut, B., Vural, Ö., Demir, M., Tek, M. & Altaner, Ş. Metastatic squamous cell carcinoma of the skin in chronic myeloid leukaemia: complication of hydroxyurea therapy, 329
Pamuk, G.E. *see* Turgut, B.
Papachristou, F. *see* Koliakos, G.
Parildar, Z. *see* Barutçuoğlu, B.
Park, J.-Y. *see* Lee, Y.K.
Pascual, V.T. *see* Fernández-Suárez, A.
Passam, F.H. *see* Alexandrakis, M.G.
Pauw, B.E. *see* Vanden Bos, A.
Payne, S., MacKinnon, K., Keeney, M., Morrow, B. & Kovacs, M.J. Effect of 3.2 *vs.* 3.8% sodium citrate concentration on anti-Xa levels for patients on therapeutic low molecular weight heparin, 317
Pearce, K. *see* O'Shaughnessy, D.
Perifanis, V. *see* Koliakos, G.
Perisinakis, K. *see* Alexandrakis, M.G.
Perrin, A.-E. *see* Andrès, E.
Poovalingam, V. *see* Sukhu, K.
Pottinger, B. *see* Bain, B.J.
Pozzi, S. *see* Marietta, M.
Prejzner, W., Knopińska-Posłuszny, W., Mikołajczuk, J., Langowska, B. & Hellmann, A. Modification of the clonogenic capacity of bone marrow cells from normal individuals by the tyrosine kinase inhibitor STI571, 293
Psiachou-Leonard, E. *see* Bain, B.J.
Pujol-Moix, N. *see* Brummitt, D.R.

Rassan, S. *see* Bain, B.J.
Ray, V. *see* Singh, H.
dos Reis, M.G. *see* Couto, F.D.
Rendell, M., Anderson, E., Schlueter, W., Mailliard, J., Honigs, D. & Rosenthal, R. Determination of hemoglobin levels in the finger using near infrared spectroscopy, 93
Richards, S.J. & Jack, A.S. The development of integrated haematopathology laboratories: a new approach to the diagnosis of leukaemia and lymphoma, 337
Roberts, A. *see* McNamara, C.
Robinson, G. *see* Bain, B.J.
Rose, P. *see* Kalk, E.
Rosenthal, R. *see* Rendell, M.
Ruivo, L. *see* Scott, C.S.

Sabath, D.E., Cross, S.T. & Mamiya, L.Y. An improved method for detecting red cells with hemoglobin H inclusions that does not require glass capillary tubes, 87
Sakai, R. *see* Matsuo, T.
Sakamaki, H. *see* Nakajima, H.
Sakata, T. *see* Wang, F.-S.
Sakura, T. *see* Nakajima, H.
Salamat, A. & Watson, H.G. Drug-induced methaemoglobinaemia presenting with angina following the use of dapsone, 327
Sánchez, J. *see* Torres Gomez, A.
Sangkitporn, S. *see* Sangkitporn, S.K.
Sangkitporn, S.K., Wangkahat, K., Sangnoi, A., Songkharm, B., Charoenporn, P. & Sangkitporn, S. Rapid diagnosis of α^0-thalassemia using the relative quantitative PCR and the dissociation curve analysis, 359
Sangnoi, A. *see* Sangkitporn, S.K.
Saxena, R. *see* Tyagi, S.
Schattenberg, A.V.M.B. *see* Vanden Bos, A.
Schlienger, J.-L. *see* Andrès, E.
Schlueter, W. *see* Rendell, M.
Scott, C.S., van Zyl, D., Ho, E., Meyersfeld, D., Ruivo, L., Mendelow, B.V. & Coetzer, T.L. Automated detection of malaria-associated intraleucocytic haemozoin by Cell-Dyn CD4000 depolarization analysis, 77
Sears, D.A., Udden, M.M. & Johnston, M.D. Red cell osmotic fragility studies in hemoglobin C-β thalassemia: osmotically resistant microspherocytes, 367
Serefhanoglu, K., Kaya, E., Sevinc, A., Aydogdu, I., Kuku, I. & Ersoy, Y. Isolated thrombocytopenia: the presenting finding of typhoid fever, 63
Sevinc, A. *see* Serefhanoglu, K.
Sfiridaki, K. *see* Alexandrakis, M.G.
Shah, P.K. *see* Meisel, S.R.
Shamseddine, A. *see* Chehal, A.
Shearer, M. *see* O'Shaughnessy, D.
Shechter, M. *see* Meisel, S.R.
Shetty, S. *see* Ghosh, K.
Shimada, T. *see* Kaito, K.

Siebert, S., Williams, B.D., Henley, R., Ellis, R., Cavill, I. & Worwood, M. Single value of serum transferrin receptor is not diagnostic for the absence of iron stores in anaemic patients with rheumatoid arthritis, 155
Sikorska, A. *see* Mendek-Czajkowska, E.
Simoni, L. *see* Marietta, M.
Simonsson, P. *see* Swolin, B.
Singh, H., Chaudhary, R. & Ray, V. Platelet indices as quality markers of platelet concentrates during storage, 307
Słomkowski, M. *see* Mendek-Czajkowska, E.
So, C.C. *see* Mak, Y.K.
Songkharm, B. *see* Sangkitporn, S.K.
Souliou, E. *see* Koliakos, G.
Spence, D. *see* McKenna, D.
Sugahara, K. *see* Kamihira, S.
Sukhu, K., Poovalingam, V., Mahomed, R. & Giangrande, P.L.F. Ethnic variation in von Willebrand factor levels can influence the diagnosis of von Willebrand disease, 247
Swolin, B., Simonsson, P., Backman, S., Löfqvist, I., Bredin, I. & Johnsson, M. Differential counting of blood leukocytes using automated microscopy and a decision support system based on artificial neural networks – evaluation of DiffMaster™ Octavia, 139
Szer, J. *see* McNamara, C.

Taher, A. *see* Chehal, A.
Tanaka, Y. *see* Nakajima, H.
Tatsumi, N. *see* Okuda, M.
Tek, M. *see* Pamuk, G.E.
Telfer, P. *see* Davies, J.K.
Thomas, A. *see* Bain, B.J.
Thornburg, C.D. & Ware, R.E. The utility of the autohaemolysis test for children with congenital haemolytic anaemia, 25
Torelli, G. *see* Marietta, M.
Torres Gomez, A., Casaño, J., Sánchez, J., Madrigal, E., Blanco, F. & Alvarez, M.A. Utility of reticulocyte maturation parameters in the differential diagnosis of macrocytic anemias, 283
Tsatra, I. *see* Koliakos, G.
Tsuji, T. *see* Wang, F.-S.
Tuncer, M. *see* Uçkan, D.
Turan, M. *see* Kayiran, S.M.
Turgut, B., Pamuk, G.E., Vural, Ö., Demir, M., Ünlü, E., Çelik, H., Çakir, B. & Kutlu, K. An interesting presentation of intrathoracic extramedullary hematopoiesis in a patient with thalassemia intermedia, 409
Turgut, B. *see* Pamuk, G.E.
Tyagi, S., Choudhry, V.P. & Saxena, R. Subclassification of HbS syndrome: is it necessary?, 377

Uçkan, D., Yetgin, S., Çetin, M., Özyürek, E., Okur, H., Aslan, D. & Tuncer, M. The effects of high dose methylprednisolone on apoptosis in children with acute lymphoblastic leukemia, 35
Udden, M.M. *see* Sears, D.A.
Uemura, Y. *see* Okuda, M.
Ueyama, J.-I. *see* Nakajima, H.
Ünlü, E. *see* Turgut, B.
Usui, N. *see* Kaito, K.

Vaaler, S. *see* Mishra, V.
Vassiliou, G. *see* Bain, B.J.
Vigorito, A.C. *see* Noronha, J.F.A.
Virgo, P.F. *see* Lock, R.J.
Vogel, T. *see* Andrès, E.
Vural, Ö. *see* Pamuk, G.E.
Vural, Ö. *see* Turgut, B.

Wanaka, K. *see* Matsuo, T.
Wang, F.-S., Itose, Y., Tsuji, T., Hamaguchi, Y., Hirai, K. & Sakata, T. Development and clinical application of nucleated red blood cell counting and staging on the automated haematology analyser XE-2100™, 17
Wangkahat, K. *see* Sangkitporn, S.K.
Ware, R.E. *see* Thornburg, C.D.
Watson, H.G. *see* Salamat, A.
Werre, J.M. *see* Vanden Bos, A.
Wild, B. *see* O'Brien, D.A.
Williams, B.D. *see* Siebert, S.
Williams, M. *see* Iyer, R.
Winfield, D. *see* Bain, B.J.
Wissink, W.M. *see* Vanden Bos, A.
Wong, K.F. *see* Mak, Y.K.
Woodcock, T. *see* O'Shaughnessy, D.
Worwood, M. *see* Halksworth, G.
Worwood, M. *see* Siebert, S.

Xilouri, I. *see* Alexandrakis, M.G.
Xu, X.-P. *see* Meisel, S.R.

Yamada, Y. *see* Kamihira, S.
Yetgin, S. *see* Uçkan, D.
Yokota, A. *see* Nakajima, H.
Yoshikawa, T. *see* Kuroda, J.

Zdebska, E. *see* Mendek-Czajkowska, E.
Zulli, R. *see* Noronha, J.F.A.
Zych-Mordzińska, J. *see* Mendek-Czajkowska, E.
van Zyl, D. *see* Scott, C.S.

Clin. Lab. Haem.
2003, **25**, 421–423

Subject Index to Volume 25

22q112 deletion, 195
acute, 255
acute lymphoblastic leukemia, 35
acute phase proteins, 41
acute promyelocytic leukaemia, 267
acute thrombosis, 267
adhesion molecule, 393
ADVIA™ 120, 59
alloantibodies, 311
allogeneic bone marrow transplantation, 47
all-*trans*-retinoic acid, 267
anaemia, 149, 353
anaemia screening, 343
antibody titration, 311
anticoagulants, 127, 155
anti-D, 311
anti-D immunoglobulin, 405
antithrombin, 191
anti-Xa levels, 317
aplastic anemia, 393
apoptosis, 35
artificial neural networks, 139
aspirin, 277
ATL, 111
autohaemolysis, 25
autologous bone marrow transplantation, 47
autologous stem cell transplantation, 55
automated diagnosis, 77
automated haematological analyser, 347
automation, 139
azurophil, 297

blood counts, 343
bone marrow, 119
bone marrow iron, 353
bone marrow transplantation, 239
brilliant cresyl blue, 87

calibrator and control for fibrinogen assay, 167
capillary–venous blood parameter, 9
case report, 255
CD4, 239
CD63, 297
cell imaging, 71
cell interaction, 321
chromosomes, 255
chronic myelogenous leukaemia, 233
chronic myeloid leukaemia, 119, 329
chronic myeloid leukemia, 293
classification, 209
clauss method, 167
clonogenic capacity, 293
coagulation, 251
coagulopathy, 397
cobalamin deficiency, 161
compression stockings, 277
congenital spherocytosis, 25
cost analysis, 179
cytogenetics, 255

dapsone, 327
desferioxamine, 105
diagnosis, 337
diGeorge/velocardiofacial syndrome, 195
disseminated intravascular coagulation, 267
dissociation curve, 359
donor chimerism, 383
drug-induced, 327
drugs, 173

echis time, 397
economy class syndrome, 277
elderly, 383
emergency room visits, 149
eosin-5′-maleimide, 373
erythrocyte, 173
erythrocyte sedimentation rate, 41
ethnic variation, 247
evans' syndrome, 195
extramedullary hematopoiesis, 409

FACScan, 17
FACSort, 17
factor V Leiden, 191
fas, 35
fas ligand, 35
fever, 63
fibrinogen measurement, 167
fibrinolysis, 251
flow cytometer, 373
flow cytometry, 71, 251, 405
food-cobalamin malabsorption, 161

gel test, 311
gene array, 209

© 2003 Blackwell Publishing Ltd.

gene profiling, 209
general practice, 343
Ginkgo biloba, 251
granule, 297

haematological malignancy, 209, 233
haematological response, 119
haematology analyser, 17
haemoglobin Etobicoke, 259
haemoglobin sickle syndrome, 377
haemoglobin variant, 259
haemoglobinometry, 343
haemolysis, 173
haemolytic anaemia, 25
haemolytic disease of the newborn, 311
haemozoin, 77
hbA_{1c} analysis, 259
hematologic malignancies, 383
hematologic parameters, 29
hematology, 87
hemoglobin, 93, 289
hemoglobin C, 29
hemoglobin C-thalassemia, 367
hemoglobinopathies, 29
hereditary hemochromatosis, 185
hereditary spherocytosis, 373
high dose methylprednisolone, 35
high-dose chemotherapy, 179
high-performance liquid chromatography, 259, 377
HTLV-1, 111
human, 255
hydroxyurea, 329
hypogranular variant, 239

idiopathic thrombocytopenia, 327
image analysis, 71, 139
imatinib, 119
immature granulocytes, 347
immature reticulocyte fraction, 47
immune cytopenias, 195
immunosuppressive therapy, 393
india, 373
information, 149
infusion, 173
integration status, 111
intensive care, 397
interleukin-6, 41
iron absorption, 227
iron deficiency, 99, 155, 227, 353
iron overload, 105
ischaemic heart disease, 327
isolated thrombocytopenia, 63

la Rochelle, 191
laboratory safety, 87
leucocyte count, 347
leukaemia, 255, 337
leukocyte differential, 139
light depolarization, 77
low molecular weight heparin, 277, 317
lymphoma, 263, 337

macrocytic anemia, 283
macroglobulinemia, 187
malaria, 77
mantle cell lymphoma, 263
manual count, 347
MCV, 71
mean platelet component, 59
methaemoglobinaemia, 327
microscopy, 139
microspherocytes, 367
minimal residual disease, 383
minor, 127
molecular remission, 55
monitoring, 317
monocytes, 321
morphologic response, 119
multiple myeloma, 41, 271
myelocytic, 255
myelodysplasia, 59, 283, 289
myelofibrosis, 289
myeloma, 179, 187

natural killer cell leukaemia, 239
near-infrared spectrophotometry, 93
non-Hodgkin's lymphoma, 185
non-invasive measurements of hemoglobin, 93
nonmyeloablative stem cell transplantation, 383
normal range, 247
notification, 149
nucleated red blood cell counting staging, 17

oligosaccharides, 297
oral cyanocobalamin treatment, 161
osmotic fragility, 25, 367

paediatrics, 25
pair 15, 255
pair 17, 255
paravertebral mass, 409

$p14^{ARF}$, 233
peripheral blood stem cell, 179
$p16^{INK4A}$, 233
plasma cell leukaemia, 55
platelet aggregates, 71
platelet concentrate, 307
platelet function, 59
platelet indices, 307
platelet parameters, 9
platelet transmission electron microscopy, 59
platelets, 251, 321
point-of-care testing, 343
pregnancy, 29, 99, 227, 347
preoperative care, 127
presentation, 263
processing, 297
procoagulant activity, 267
prognosis, 209
prophylaxis, 99
proteins induced in vitamin K absence or antagonism, 397
proviral load, 111
pseudohyperphosphatemia, 271
purified fibrinogen, 167

quality control, 307

race, 247
real-time PCR, 111
red cells, 367
relative quantitative PCR, 359
reticulocytes, 47, 283
rheumatoid arthritis, 155, 353

Salmonella typhi, 63
serum transferrin receptor, 155
sickle cell disease, 377
sickle β-thalassaemia, 377
sodium citrate, 317
specialist laboratory services, 337
spectral karyotyping, 239
spleen, 263
splenic rupture, 263
squamous cell carcinoma, 329
stem cell, 393
steroids, 35
STI571, 293
stromal cell, 393
subclassification, 377
supplementation, 227
surgical procedures, 127

term neonate, 9
thalassemia, 29, 87, 409
β-thalassemia, 105
α^{0}-Thalassemia, 359
thromboembolism, 191
thrombosis, 191
TIA method, 167
tissue factor, 321
transferrin receptor, 353
transfusion, 173
travellers' thrombosis, 277
tubular dysfunction, 105
tumour suppressor, 233

urgent, 149
urine makers, 105

venous thromboembolism, 317
vitamin K deficiency, 397
von Willebrand disease, 247
von Willebrand factor:Ag, 247

warfarin, 127
white blood cell parameters, 9

XE-2100, 17